

TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371

418 Rec'd PCT/PTO 26 APR 1999

U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5)

09/297237

INTERNATIONAL APPLICATION NO.

PCT/DE97/02793

INTERNATIONAL FILING DATE

29 November 1997

PRIORITY DATE CLAIMED

5 December 1996

TITLE OF INVENTION

PLAY HOUSE MADE OF PREFABRICATED PARTS

APPLICANT(S) FOR DO/EO/US

EICHINGER, Hartmut

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ has been transmitted by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US)
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☐ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☐ have not been made and will not be made.
8. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11. to 16. below concern other document(s) or information included:

11. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A **FIRST** preliminary amendment.
☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
14. ☐ A substitute specification.
15. ☐ A change of power of attorney and/or address letter.
16. ☒ Other items or information: Int'l Search Report by European Patent Office

"Express Mail" mailing label number EJ 563326475 US
Date of Deposit April 26, 1999

I hereby certify that this paper or fee is being deposited with
the United States Postal Service "Express Mail Post Office" in
New York, New York 10001-2000 on the date and at the place
indicated above. I am a resident of the United States and am
deposited in the name of Edwin D. Schindler, Reg. No. 31,459

Edwin D. Schindler, Reg. No. 31,459

(Signature of person mailing paper on 26 APR 1999)

17. ☒ The following fees are submitted:

Basic National Fee (37 CFR 1.492(a)(1)-(5)): \$840.00
Search Report has been prepared by the EPO or JPO..... ~~\$830.00~~

International preliminary examination fee paid to USPTO (37 CFR 1.482) \$640.00
No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)).. \$710.00

Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$950.00

International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4)..... \$90.00

ENTER APPROPRIATE BASIC FEE AMOUNT =

CALCULATIONS

\$ 840.00

Surcharge of \$130.00 for furnishing the oath or declaration later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492(e)).

\$ -0-

Claims	Number Filed	Number Extra	Rate
Total 19 Claims	19 -20 =	-0-	X \$22.00
Independent Claims	1 -3 =	-0-	X \$74.00
Multiple dependent claims(s) (if applicable)			+ \$230.00

\$ -0-

\$ -0-

\$ -0-

TOTAL OF ABOVE CALCULATIONS =

\$ 840.00

Reduction by 1/2 for filing by small entity, if applicable. Verified Small Entity statement must also be filed. (Note 37 CFR 1.9, 1.27, 1.28).

\$ -0-

SUBTOTAL =

\$ 840.00

Processing fee of \$130.00 for furnishing the English translation later the ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492(f)).

\$ -0-

TOTAL NATIONAL FEE =

\$ 840.00

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +

\$ -0-

TOTAL FEES ENCLOSED =

\$ 840.00


Amount to be:
refunded \$
charged \$

- a. ☒ A check in the amount of \$**840.00 to cover the above fees is enclosed.
- b. ☐ Please charge my Deposit Account No. _____ in the amount of \$ _____ to cover the above. A duplicate copy of this sheet is enclosed.
- c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 19-0450. A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Edwin D. Schindler
Five Hirsch Avenue
P. O. Box 966
Coram, New York 11727-0966



SIGNATURE

Edwin D. Schindler

NAME

31,459

REGISTRATION NUMBER

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

Applicant: Eichinger, Hartmut

Name of Party in Interest: Eichinger, Hartmut

Serial No: 09/297,237

Group Art Unit:

Filed: Concurrently Herewith

Examiner:

For: PLAY HOUSE MADE OF PREFABRICATED PARTS

CLAIM FOR SMALL ENTITY STATUS

37 CFR 1.9(c) - INDEPENDENT INVENTOR

I Hartmut Eichinger^(a), declare and say that:


1) I am the sole^(b)/a joint inventor^(b) named in the above-identified application for Letters Patent.

2) I have not assigned, granted, conveyed, or licensed, and am under no obligation under contract or law to assign, grant, convey, or license, any rights in the invention to any person who could not likewise be classified as an independent inventor if that person had made the invention, or to any concern which would not qualify as a small business concern or a non-profit organization under 37 CFR 1.9.

I hereby declare that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that wilful or false statements so made are punishable by fine or imprisonment or both under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Further declarant sayeth not.

x 3.5.99
date

x 
(Eichinger, Hartmut) a)

Note: All joint inventors must sign separate declarations. Where an independent inventor has signed granted conveyed or licensed or is under an obligation to do so to a small entity that small entity also must file the appropriate declaration
a) insert name of signatory inventor
b) delete inapplicable words

09/297237

510 150-1 PCT/PTO 26 APR 1999

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: HARTMUT EICHINGER

ART UNIT:

SERIAL NO.: 09/

EXAMINER:

FILED:

P.C.T. APPLICATION NO.: PCT/DE97/02793

TITLE: PLAY HOUSE MADE OF PREFABRICATED PARTS

PRELIMINARY AMENDMENT

Hon. Commissioner of Patents and Trademarks
Box PCT
Washington, D. C. 20231

Dear Sir:


Prior to an examination on the merits of the above-identified patent application, please amend the above-identified application as follows:

IN THE ABSTRACT OF THE DISCLOSURE

Please amend the Abstract, as presented in the literal English translation of the corresponding P.C.T. international application, which is being concurrently filed, as follows:

"Express Mail" mailing label number EJ 563326475 US
Date of Deposit April 26, 1999

I hereby certify that this paper is being deposited with the U.S. Postal Service "Express Mail - Post Office to Addressee" service under 37 C.F.R. §1.10 on the date indicated above and is addressed to: Hon. Commissioner of Patents and Trademarks, Washington, D. C. 20231.


Edwin D. Schindler, Reg. No. 31,459

April 26, 1999
Date

Page 20, line 3, delete "Proposed is a" and substitute therefor --A--;

line 5, delete "said" and substitute therefor --the--;

line 7, delete "said" and substitute therefor --the--; and,

line 8 (last line on page), delete
" - Figure 1 - ".

IN THE SPECIFICATION

Please amend the Specification, as presented in the literal English translation of the corresponding P.C.T. international application, which is being concurrently filed, as follows:

Page 1, between lines 1-2 (immediately beneath the Title of the Invention), insert the following headings:

--BACKGROUND OF THE INVENTION--; and,
--Technical Field of the Invention--;
between lines 3-4, insert the following heading:
--Description of the Prior Art--.

Page 2, between lines 11-12, insert the following heading:

--SUMMARY OF THE INVENTION--.

Page 11, between lines 7-8, insert the following heading:

--BRIEF DESCRIPTION OF THE DRAWING FIGURES--; and,
between lines 15-16, insert the following
heading:

--DETAILED DESCRIPTION OF THE DRAWING
AND PREFERRED EMBODIMENTS--.

IN THE CLAIMS

Please amend the claims, as presented in the literal
English translation of the corresponding P.C.T. international
application, which is being concurrently filed, as follows:

Claim 1, line 3, after "slab", insert --;--; and, delete
"(1)";

line 4, delete "(1)"; after "posts", insert
--; and,--; and, delete "(2)";

line 5, delete "(2)"; and,
line 6, delete "(1)".

Claim 2, line 1, delete "(1)"; and,
line 2, delete "(14)"; and, delete "(16)".

Claim 3, line 1, delete "(16)"; and,
line 2, delete "(14, 15)".

Claim 4, line 1, delete "one of the preceding claims,"
and substitute therefor --claim 1,--; and, delete "(1)".

Claim 5, line 1, delete "one of the preceding claims,"
and substitute therefor --claim 1,--; and,

line 2, delete "(2)"; and, delete "(7)".

Claim 6, line 2, delete "(2)".

Claim 7, line 1, delete "5 or 6," substitute therefor --5,--; and, delete "consists of" and substitute therefor --comprises--.

Claim 8, line 1, delete "one of the preceding claims," and substitute therefor --claim 1,--; and,

line 2, delete "(2)"; after the word "recesses", insert --.--; and, delete "(9)".

Claim 9, line 1, delete "one of the preceding claims," and substitute therefor --claim 1,--; and,

line 2, delete "(2)"; and,

line 3, delete "(3)"; and, delete "(1)".

Claim 10, line 1, delete "one of the preceding claims," and substitute therefor --claim 1,--; and,

line 2, delete "(14, 15) and/or" and substitute therefor --or--; and, delete "(7) consist of" and substitute therefor --comprise--.

Claim 11, line 1, delete "one of the preceding claims," and substitute therefor --claim 1,--; and, delete "(1)"; and,

line 2, delete "(5)".

Claim 12, line 1, delete "one of the preceding claims," and substitute therefor --claim 1,--; and, delete "(1)".

Claim 13, line 2, delete "rail (11)." and substitute therefor --rail.--.

Claim 14, line 1, delete "one of the preceding claims," and substitute therefor --claim 1,--; and,
line 2, delete "(1)".

Claim 15, line 1, delete "one of the preceding claims," and substitute therefor --claim 1,--; and, delete "(1)"; and,
line 2, delete "(2)".

Claim 16, line 1, delete "one of the preceding claims," and substitute therefor --claim 1,--.

Claim 17, line 2, delete "(20, 22)"; and, delete "(19)".

Claim 18, line 1, delete "(19) consist of" and substitute therefor --comprise--; and,
line 2, delete "(15)"; after the word "hooks", insert --.--; and, delete "(24)".

Claim 19, line 1, delete "(23)";
line 2, delete "(26)"; and, delete "(20, 22)";
and,
line 3, after the word "extension", insert --.--; and, delete "(19)".

REMARKS

Prior to an examination on the merits of the above-

identified patent application, please enter the foregoing amendments.


Claims 1-19 are now pending in the above-identified patent application. Claim 1 is the single claim presented in independent form.

By the present amendments, original dependent Claims 4, 5, 7-12 and 14-16 have been amended in order to remove the multiple dependencies from such claims. The reference numerals existing in the claims have also been deleted. The application is now in condition for a full examination on the merits.

Accordingly, an early examination on the merits and allowance are, therefore, respectfully requested and earnestly solicited.

Respectfully submitted,

HARTMUT EICHINGER

By 
Edwin D. Schindler
Attorney for Applicant
Reg. No. 31,459

Five Hirsch Avenue
P. O. Box 966
Coram, New York 11727-0966

(516)474-5373

April 26, 1999

Playhouse Made From Prefabricated Parts

The invention concerns a playhouse made from prefabricated parts having supporting posts as well as a roof which is affixed to the supporting posts.

Playhouses are very popular among children because, on the one hand, they offer a multiplicity of different possibilities for play and therefore are highly attractive over long periods of time and, on the other, the closed interior space presents a region where individuals or smaller groups can withdraw with the possibility of playing without being disturbed there. Also from the educational viewpoint, playhouses have proven particularly advantageous because they promote the children's creativity as well as their social group behaviour, during construction and dismantling train planning and spatial conceptions and even in closed rooms permit active games. Therefore, they are widespread and found in various forms in private households, kindergartens and playgrounds.

For example, the utility model DE 85 22 689 discloses a playhouse made from prefabricated parts in which a horizontal roof is affixed on a plurality of vertical supporting posts. Owing to the accessibility of the roof, which can be reached, for example, via a ladder, the number of possible play variations is substantially increased. To ensure sufficient carrying capacity, the roof rests edge-wise

circumferentially on support frame parts, which connect the supporting posts to one another in a horizontal direction, while the thickness of the roof slabs is constant and their span is therefore limited between the supporting frame parts.

With this embodiment the lengthy and time-consuming assembly proves disadvantageous, which arises therein that the necessary stability of the house is achieved by means of frame elements. They make not only the assembly more difficult but also limit the variation possibilities to a considerable degree. Accordingly, a permanent construction is mostly effected, which inside rooms limits considerably the usefulness of the respective room. Moreover, children have in this way few possibilities to undertake conversions and make additions which promote their design and planning abilities in an excellent way.

Against this background, the invention has the objective of developing a playhouse made from prefabricated parts which can be constructed easily and quickly and whose elements can be assembled flexibly and in differing ways.

According to the invention, this task is solved therein that the roof is a self-supporting slab, the slab rests directly upon the supporting posts and the supporting posts are provided with limit stops or locking elements against which the slab rests in a horizontal direction.

The basic idea of the proposed playhouse consists in the elimination of the frame parts common to the state-of-the-art. For that purpose, the roof consists of a self-supporting slab, for example, a laminated board of sufficient thickness, which does not require an areal or edge-wise support by supports or frame parts. Consequently, the slab rests directly on the supporting posts, for example, on the top end face of the posts or edge-wise projecting parts, where an underlay, for instance, for height compensation or shock absorption, is not ruled out. Preferably, however, in the lower region the posts have a device for height adjustment, e.g. spindle feet. In order to prevent horizontal displacement of the slab and subsequent sliding off from the supporting posts, limit stops or locking elements are necessary, for example, hooks or bolts, which rest against the edge, engage in recesses in the slab, or penetrate it in apertures, and thus fix it in a horizontal direction. If a bolt is designed as a threaded pin, securing by means of a nut is conceivable. In many cases sufficient stability already obtains if each supporting post solely assures affixation in one direction in space, which results in good stability of the structure through the combined action of the members.

The playhouse according to the invention is characterised by the possibility of

easy and quick assembly, because a low number of parts are used and correspondingly few connections have to be produced. Three or more supporting posts guarantee an excellent mechanical stability, which enables accessibility to the roof. In this case, conceivable is use as a stage which can be scaled suitably through provision of a ladder or supporting posts with steps or apertures. The easy handling of the parts as well as the possibility of their flexible assembly permits constant conversions to the playhouse and its dismantling compactly in little time, if required.

In an advantageous further embodiment of the invention, an especially easy and stable self-supporting slab consists of a cover plate which lies in a parallel orientation on a level framework. Between the slab and the framework, a continuous connection exists, for instance, achieved by gluing together, or a plurality of individual connections at a close distance, e.g. through screw connections or tack nails. Thus both tensile as well as pressure forces are passed on to the framework. In particular, if the distance between the individual supports of the framework is small, a cover plate of lower thickness can be used so that the overall weight of the slab is reduced.

Preferably the framework has cover plates on both sides, i.e. also on the base so

that as a result a box-type support with interior framework, that is, a sandwich-like structure, is created. Advantageously, the hollow space between the two cover plates is closed laterally by a facing so that the exterior appearance is consistent in an advantageous manner to a solid part. Through the base cover plate, which when the slab bends downwards is subjected to a tension load, the rigidity of the part is improved considerably.

Polygonal, in particular, hexagonal slabs have proven purposeful. In case of playhouses of a large area, which require a roof comprising a multiplicity of slabs located adjacently, the hexagonal slabs are laid against one another edge-wise, like a honeycomb, so that a closed roof area is obtained. Preferably, here the posts lend support under the slab corners, where one post supports three adjacent slabs simultaneously. To allow a continuous connection of the playhouse roof to the straight wall of a room or building, in addition to hexagonal slabs, advantageous are also slabs of hexagonal design divided along a median line. Also with other slab shapes, slabs of differing design with edges complementary to one another are advantageous as they allow a continuous connection to room walls and corners of buildings.

Against the background of the pronounced childish imagination, the possibility exists to assemble the playhouse largely without walls so that supervisory persons have a free view inside. To nonetheless achieve a closure vis-à-vis the exterior space, in an advantageous embodiment of the invention, it is proposed to use platelike supporting posts which stand on an end face. The sides of the platelike posts thus form a wall element, which subdivides the interior space or closes it outwards. If the platelike posts are erected at an angle to one another, the stability of the playhouse is also improved to a considerable degree.

With the objective of a further increase in stability, a platelike supporting post is preferred of bent, corrugated or curved cross section. For example, V-, U-, W- or triangular-shaped floor space prevents the supporting posts from falling over from just a slight push. In this way, in particular the assembly of the playhouse is facilitated, before the elements effect mutual support through interconnection. Furthermore, the flexural strength of the posts and thus the stability of the playhouse are increased in an assembled condition.

Advantageously, special V or triangular cross sections of supporting posts are produced through assembly of two or more platelike bodies. The mutual affixation of the platelike bodies is effected, e.g. through edge-wise

extensions, which are inserted into apertures of the adjacent bodies so that an indentation or a pluglike engagement is created. Thus a stable structure is ensured, which with sufficient diameter is also suitable for supporting a plurality of adjoining slabs of the roof.

Recesses in the supporting posts of the playhouse serve as windows and for suspending or inserting objects. Advantageous recesses have, for example, a rectangular cross section, consistent with that of a usual window, which encourages children to act out domestic scenes. Recesses with rounded shapes of different design stimulate the children's creativity.

To optimise the stability of the playhouse vis-à-vis lateral forces, supporting posts are proposed which are affixed to the exterior edge of the slab. They have a greater length than those posts that support the slab vertically, i.e. their length exceeds the distance of the roof from the floor space of the playhouse. Furthermore, they are provided with a lateral recess in which the slab is inserted edge-wise and whose edge forms a lateral limit stop. Especially when the supporting posts have a slight incline in the direction of the centre of the house or widen on the ground side, this guarantees effective support of horizontal

forces. Cover plates and platelike bodies made from compressed straw, which are bonded with a binding agent, have proven especially advantageous. This material is characterised by a good carrying capacity and owing to its lack of harmful substances and the attractive appearance is especially suitable for use by children.

If the playhouse is assembled inside a building or on its exterior, pillars adjacent to a wall can be omitted if the slab rests edge-wise upon a rail which is affixed to the building. Moreover, the stability of the playhouse is considerably improved in this way because building walls are usually suitable for receiving lateral pressure loads which cannot be achieved through a self-supporting playhouse even with a ground anchoring.

Fastening devices on the base or edge of the slab enable the attachment of curtains, bags, shelves, ribbons or toys that hang down. In particular, in this manner, a closure of the interior room and a considerable increase in the number of attractive play possibilities for the children can be achieved. Suitable fastening devices are, for example, eyelets or hooks.

Preferably, however, the fastening device is a rail in which curtains or toys

and ribbons are affixed so as to be movable. As a consequence, the lateral closure of the playhouse can be opened toward the exterior space, if required. Advantageously, a circumferential rail is provided on the base of the slab, which allows the complete closure of the interior room with a curtain. By means of openings in the curtain, which represent doors or windows, the attraction for children can be significantly increased.

In the case of an accessible roof, i.e. sufficient carrying capacity of the slab, a slide or stairs prove practical, which connect it to the floor space of the playhouse. Preferably, the top end rests upon the edge of the slab. Side rails on the stairs or slide decrease the risk of injury when climbing on to and leaving the roof of the playhouse.

In the case of an accessible roof, the slabs are preferably also provided with a side rail or a parapet, which represent protection against anyone falling over the edge. The affixation can be effected both on the slab itself as well as on the posts. Also in the case of a non accessible roof a parapet affixed to the slabs lends the impression of a solid and stable assembly and is thus advantageous for visual reasons because it increases the attractiveness of the playhouse.

A especially simple assembly and separability is obtained when the affixation of the parts to one another is achieved through plug connections. Advantageously,

the parts are provided with apertures for that purpose into which the extensions of adjacent parts are inserted. Advantageous extensions comprise respectively a shaft, which penetrates the aperture, and a hook attached thereupon end-wise which grasps the edge of the aperture. Parts of the playhouse can thus be combined to one another by inserting the extensions into the apertures, where owing to the gripping hook, tensile loads are also possible. On the other hand, if the parts are moved toward one another parallel to their surface, until the grip by the hook is released, they can easily again be pulled apart.

To secure a connection that is produced in such a way and to avoid it being released unintentionally, a locking element is proposed. It is mounted upon the surface of the part so that it limits the aperture and its free diameter corresponds to the shaft diameter of the extension. When the locking element is mounted the hook can thus cannot be pulled out of the aperture. Securing two parts to each other is effected in that the hook of the extension is first guided through the aperture and is then secured by the locking element. The connection is released in the reverse sequence. In a secured position the hook can rest against both the surface of the part as well as the locking element, where a double hook allows the simultaneous realisation of both possibilities. To prevent the locking element

from being released unintentionally, a U-shaped embodiment is advantageous which grasps the secured extension so as to be form-locking. Furthermore, a fastening to the part or extension is proposed, for example by means of screws.

Further details, features and advantages of the invention can be taken from the following description part in which with the aid of the drawing a typical embodiment is explained greater detail. The drawing shows in a schematic representation

Figure 1: view of a playhouse according to the invention

Figure 2: sectional view of the slab which comprises the roof of the playhouse

Figure 3: elements of a supporting post

Figure 4: elements of an alternative supporting post

Figure 5: stabilisation element for a supporting post

Figure 6: stabilisation element for triangular supporting posts

Figure 7: elements of a side rail

Figure 8: view of a hook-shaped extension with locking element.

In Figure 1, a view of a playhouse according to the invention is shown, which in its basic structure consists of a horizontal slab (1), which is self-supporting and

comprises the roof of the playhouse, and is carried by supporting posts (2). The corners of slab (1) are inserted into recesses (3) of supporting posts (2), which have an edge-wise limit stop (4) as a safety device against horizontal displacement of slab (1). As an alternative to a playhouse with three or more similar supporting posts (2), it is conceivable to place one edge of slab (1) upon a rail (5), which is affixed to the wall (6) of a building. If the roof of the playhouse comprises a multiplicity of slabs (1), in the edge region of adjacent slabs supporting posts (2) are advantageous whose length corresponds to the distance between slab (1) and the floor space and which represent a vertical support.

Supporting posts (2) are composed of respectively two platelike bodies (7), where the angle of both to each other is defined by a stabilisation element (8). Recesses (9) in the posts represent, for example, windows and increase the play possibilities for children. A curtain (10) serves as a wall for the playhouse which is affixed to a guide rail (11) by means of rings (12) so as to be movable and likewise can have windows or door apertures. Above the plane of slab (1) there is a side rail (13) affixed between supporting posts (2) which in the case of an accessible slab (1) represents protection against anyone falling off. Practically, the parts are combined to one another through screw unions or the

affixation is secured, for instance, in the case of a plug connection, preferably through screws or similar to avoid unintentional release.

From Figure 2 one can take the internal structure of slab (1), which comprises a top cover plate (14), a bottom cover plate (15) as well as a framework (16) located between. For cover plate (14, 15), as well as edge rails (17), it offers itself to use compressed straw bonded with a binding agent as a material. Framework (16), which is bonded continuously with cover plates (14, 15), comprises practically overlapping wood lathes which cross one another. Corner elements (18), connected to framework (16) and edge rails (17), serve to brace the structure. In this way, one achieves a self-supporting slab (1) of high stability, which is characterised by a low weight.

Figures 3 – 7 show different parts which are suitable for creating the playhouse according to the invention. The connection of parts to one another is usually achieved by edge-wise extensions (19), which are inserted into apertures (20) of adjacent members.

In Figure 3 a pair of platelike bodies (7) are represented which can be assembled, V-shaped, into the supporting posts (2) represented in Figure 1.

Here, recess (3) serves to receive slab (1). To brace supporting post (2), the stabilisation elements (8) drawn in Figure 5 are used in a horizontal direction in the angle between platelike bodies (7), where their extensions (19) penetrate the horizontal apertures (20).

Three platelike bodies (7) of the same kind, drawn in Figure 4, can be assembled in a triangle to form supporting post (2), which supports slab (1) on its base. The connection of platelike bodies (7) is likewise through engagement of extensions (19) in vertical apertures (20) of an adjacent platelike body (7). This support (2) is also advantageously braced by horizontal stabilisation elements (21) whose extensions (1) engage in horizontal apertures (20) and are represented in Figure 6. Recesses (9) enable the use of stabilisation elements (21) as floor space.

Figure 7 finally shows members for a side rail (13) of the playhouse, which likewise are connected to one another by means of extensions (19) and apertures (20). The end-wise extensions (19) of side rail (13) serve respectively for fastening in apertures (22) in the top region of the platelike body shown in Figure 3.

To secure extensions (19) in apertures (20, 22) against unintentional release of the connections, locking elements (23) are used which are shown in Figure 8. Lockable extensions (19) are provided end-wise with a hook (24), which on one side protrude from its shaft (25). After hook (24) is pushed through aperture (20) of part (26), the aperture cross section is diminished by platelike locking element (23) so that hook (24) can no longer be pulled out. Here hook (24) can rest against both locking element (23) as well as the surface of part (26). The affixation of locking element (23) is advantageously achieved by screws (27) which are screwed into the part (26). Compared with a direct fastening of extension (19) to part (26) through a screw union, one obtains a substantially higher mechanical carrying capacity because the forces are distributed over a large area across the entire bearing surface of locking element (23). Furthermore, a U-shaped recess (28) of locking element (23) is advantageous, which encompasses shaft (25) of extension (19), form-locking, so that even before the use of screws (27) good stability of connection is guaranteed.

As a result one obtains an attractive playhouse for children which can be erected easily and quickly and whose parts can be assembled in different ways.

PATENT CLAIMS

1. Playhouse made from prefabricated parts having supporting posts as well as a roof which is affixed to the supporting posts, **wherein**

- said roof is a self-supporting slab (1)
- said slab (1) rests directly upon supporting posts (2)
- and supporting posts (2) are provided with limit stops or locking elements against which said slab (1) rests in a horizontal direction.

2. Playhouse according to claim 1, **wherein** said slab (1) comprises a cover plate (14) which in a parallel direction rests upon a level framework (16) to which it is connected.

3. Playhouse according to claim 2, **wherein** said framework (16) is provided with a cover plate (14, 15) on both sides.

4. Playhouse according to one of the preceding claims, **wherein** said slab (1) has

the shape of a regular hexagon or a halved, regular hexagon.

5. Playhouse according to one of the preceding claims, **wherein** supporting posts (2) are platelike bodies (7) on an end face.

6. Playhouse according to claim 5, **wherein** the horizontal cross section of a supporting post (2) is bent or curved.

7. Playhouse according to claim 5 or 6, **wherein** a supporting post consists of two or more platelike bodies (7).

8. Playhouse according to one of the preceding claims, **wherein** said supporting posts (2) are provided with recesses (9).

9. Playhouse according to one of the preceding claims, **wherein** supporting posts (2) are provided whose length exceeds the distance of the roof from the floor space of the playhouse and which have a recess (3) into which slab (1) can be inserted edge-wise.

10. Playhouse according to one of the preceding claims, **wherein** cover plates (14, 15) and/or platelike bodies (7) consist of compressed straw with a binding agent.

11. Playhouse according to one of the preceding claims, **wherein** said slab (1) rests upon a rail (5) circumferentially which is affixed to a building.

12. Playhouse according to one of the preceding claims, **wherein** said slab (1) has a fastening device on its base or edge.

13. Playhouse according to claim 12, **wherein** said fastening device is a guide rail (11).

14. Playhouse according to one of the preceding claims, **wherein** a stairs or slide connects said slab (1) with the floor space of the playhouse.

15. Playhouse according to one of the preceding claims, **wherein** said slab (1) has a side rail (13) on its top side.

16. Playhouse according to one of the preceding claims, **wherein** its parts are connected to one another through plug connections.

17. Playhouse according to claim 16, **wherein** said parts of the playhouse are provided with apertures (20, 22) into which extensions (19) of adjacent parts can be inserted.

18. Playhouse according to claim 17, **wherein** said extensions (19) consist of a shaft (15) with end-wise hooks (24).

19. Playhouse according to claim 18, **wherein** a locking element (23) is mounted on the surface of part (26) so that it limits the aperture (20, 22) and its clear diameter corresponds to the shaft diameter of extension (19).

ABSTRACT

Playhouse Made From Prefabricated Parts

Proposed is a playhouse made from prefabricated parts having supporting posts as well as a roof which is affixed to the supporting posts where said roof is a self-supporting slab (1), said slab (1) rests directly upon supporting posts (2) and supporting posts (2) are provided with limit stops or locking elements against which said slab (1) rests in a horizontal direction.

- Figure 1 -

1/4




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

4/4




Fig. 8

Declaration and Power of Attorney For Patent Application Erklärung Für Patentanmeldungen Mit Vollmacht

German Language Declaration

Als nachstehend benannter Erfinder erkläre ich hiermit an
Eides Statt:

dass mein Wohnsitz, meine Postanschrift, und meine Staats-
angehörigkeit den im Nachstehenden nach meinem Namen
aufgeführten Angaben entsprechen,

dass ich, nach bestem Wissen der ursprüngliche, erste und
alleinige Erfinder (falls nachstehend nur ein Name angege-
ben ist) oder ein ursprünglicher, erster und Miterfinder (falls
nachstehend mehrere Namen aufgeführt sind) des Gegen-
standes bin, für den dieser Antrag gestellt wird und für den
ein Patent beantragt wird für die Erfindung mit dem Titel:

Spielhaus aus vorgefertigten
Bauteilen

deren Beschreibung

(zutreffendes ankreuzen)

☐ hier beigelegt ist.

☒ am 29. November 1997 unter der
Anmeldungsseriennummer PCT/DE 97/02793

eingereicht wurde und am _____
abgeändert wurde (falls tatsächlich abgeändert).

Ich bestätige hiermit, dass ich den Inhalt der obigen Paten-
tatanmeldung einschliesslich der Ansprüche durchgesehen und
verstanden habe, die eventuell durch einen Zusatzantrag wie
oben erwähnt abgeändert wurde.

Ich erkenne meine Pflicht zur Offenbarung irgendwelcher In-
formationen, die für die Prüfung der vorliegenden Anmeldung
in Einklang mit Absatz 37, Bundesgesetzbuch, Paragraph
1.56(a) von Wichtigkeit sind, an.

Ich beanspruche hiermit ausländische Prioritätsvorteile ge-
mäss Abschnitt 35 der Zivilprozessordnung der Vereinigten
Staaten, Paragraph 119 aller unten angegebenen Ausland-
sanmeldungen für ein Patent oder eine Erfindersurkunde,
und habe auch alle Auslandsanmeldungen für ein Patent oder
eine Erfindersurkunde nachstehend gekennzeichnet, die ein
Anmeldedatum haben, das vor dem Anmeldedatum der An-
meldung liegt, für die Priorität beansprucht wird.

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated
below next to my name,

I believe I am the original, first and sole inventor (if only one
name is listed below) or an original, first and joint inventor (if
plural names are listed below) of the subject matter which is
claimed and for which a patent is sought on the invention entitled

Playhouse made from
Prefabricated Parts

the specification of which

(check one)

☐ is attached hereto.

☒ was filed on November 29, 1997 as

Application Serial No. PCT/DE 97/02793

and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the con-
tents of the above identified specification, including the claims,
as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is ma-
terial to the examination of this application in accordance with
Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United
States Code, §119 of any foreign application(s) for patent or
inventor's certificate listed below and have also identified
below any foreign application for patent or inventor's certi-
ficate having a filing date before that of the application on
which priority is claimed:

German Language Declaration

Prior foreign applications

Priorität beansprucht

196 50 467.8

(Number)
(Nummer)

Germany

(Country)
(Land)

December 5, 1996

(Day/Month/Year Filed)
(Tag/Monat/Jahr eingereicht)

Priority Claimed

☒ Yes
Ja

☐ No
Nein

(Number)
(Nummer)

(Country)
(Land)

(Day/Month/Year Filed)
(Tag/Monat/Jahr eingereicht)

☐ Yes
Ja

☐ No
Nein

(Number)
(Nummer)

(Country)
(Land)

(Day/Month/Year Filed)
(Tag/Monat/Jahr eingereicht)

☐ Yes
Ja

☐ No
Nein

Ich beanspruche hiermit gemäss Absatz 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 120, den Vorzug aller unten aufgeführten Anmeldungen und falls der Gegenstand aus jedem Anspruch dieser Anmeldung nicht in einer früheren amerikanischen Patentanmeldung laut dem ersten Paragraphen des Absatzes 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 112 offenbart ist, erkenne ich gemäss Absatz 37, Bundesgesetzbuch, Paragraph 1.56(a) meine Pflicht zur Offenbarung von Informationen an, die zwischen dem Anmeldedatum der früheren Anmeldung und dem nationalen oder PCT internationalen Anmeldedatum dieser Anmeldung bekannt geworden sind.

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)
(Anmeldeseriennummer)

(Filing Date)
(Anmeldedatum)

(Status)
(patentiert, anhängig,
aufgegeben)

(Status)
(patented, pending,
abandoned)

(Application Serial No.)
(Anmeldeseriennummer)

(Filing Date)
(Anmeldedatum)

(Status)
(patentiert, anhängig,
aufgegeben)

(Status)
(patented, pending,
abandoned)

Ich erkläre hiermit, dass alle von mir in der vorliegenden Erklärung gemachten Angaben nach meinem besten Wissen und Gewissen der vollen Wahrheit entsprechen, und dass ich diese eidesstattliche Erklärung in Kenntnis dessen abgebe, dass wissentlich und vorsätzlich falsche Angaben gemäss Paragraph 1001, Absatz 18 der Zivilprozessordnung der Vereinigten Staaten von Amerika mit Geldstrafe belegt und/oder Gefängnis bestraft werden koennen, und dass dertartig wissentlich und vorsätzlich falsche Angaben die Gültigkeit der vorliegenden Patentanmeldung oder eines darauf erteilten Patentes gefährden können.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

German Language Declaration

VERTRETUNGSVOLLMACHT: Als benannter Erfinder beauftrage ich hiermit den nachstehend benannten Patentanwalt (oder die nachstehend benannten Patentanwälte) und/oder Patent-Agenten mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Geschäfte vor dem Patent- und Warenzeichenamt: (Name und Registrationsnummer angeben)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

EDWIN D. SCHINDLER, Registration No. 31,459

Telefongespräche bitte richten an:
(Name und Telefonnummer)


Direct Telephone Calls to: (name and telephone number)

Edwin D. Schindler - Telephone: (516) 474-5373

Postanschrift:

Send Correspondence to:

Edwin D. Schindler
Five Hirsch Avenue, P. O. Box 966
Coram, New York 11727-0966

Voller Name des einzigen oder ursprünglichen Erfinders: <u>Eichinger, Hartmut</u>		Full name of sole or first inventor	
Unterschrift des Erfinders 	Datum <u>5 May 1999</u>	Inventor's signature	Date
Wohnsitz <u>Röttingen, Fed. Rep. of Germany</u>		Residence	
Staatsangehörigkeit <u>German</u>		Citizenship	
Postanschrift <u>Birkenstraße 9</u>		Post Office Address	
<u>D-97285 Röttingen; Fed. Rep. of Germany</u>			
Voller Name des zweiten Miterfinders (falls zutreffend)		Full name of second joint inventor, if any	
Unterschrift des Erfinders	Datum	Second Inventor's signature	Date
Wohnsitz		Residence	
Staatsangehörigkeit		Citizenship	
Postanschrift		Post Office Address	

(Bitte entsprechende Informationen und Unterschriften im Falle von dritten und weiteren Miterfindern angeben).

(Supply similar information and signature for third and subsequent joint inventors.)